



LINDEN ELECTRONICS company is a professional supplier engaged in the research, development, production, sale and service of smart locker, such as mobile phone charge station, electronic storage locker, solar phone charging station, coin operated phone charging station and so on. In addition, we have attained RoHS and CEcertificates.



















Advertis	LCD	Brand Resolution Speed Display	LG 1920*1080 5MS 16:09
	Details	CPU OS RAM ROM(internal memory) Video Picture Speakers	Quad-Core Android 2GB 16GB wmv\avi\rmvb\mp4 jpeg\png\bmp Stereo 2pcs x 10W.
	Interfaces	HDMI Output SD/ TF card?slot USB RJ45 WIFI	1 1 2 1 802.11 B.G.N
	Power	Voltage Power	AC 110V~220V 70W
Charging?		Phone Charging Power	Iphone,Android 5V 2.1A 120W
Size		Dimension Net weight Installation	W635*D580*H1800mm 90kgs Free standing





Advertisement	LCD	Brand Resolution Speed Display	LG 1920*1080 5MS 16:09
	Details	CPU RAM ROM ( internal memory ) Video Picture Speakers	Dual-Core?Android?OS 1GB 8GB wmv\avi\rmvb\mp4 jpeg\png\bmp Stereo 2pcs x 10W
	Interfaces	VGA Output HDMI Output SD / TF card slot USB RJ45 WIFI	1 1 1 1 1 802.11 B.G.N
	POWER	Voltage Power	AC220V,50/60HZ 70W
Charging		Phone Charging	Iphone,Android 5V 2.1A
Size		Dimension Net weight Thickness Installation	W550*D180*H740mm 25 kgs 15cm Wall mounted
Application		shopping mall, restaurant,ai commercial buildings,etc	rport, square,





## **Solar Powered Phone Charging Station**

Weight Lock type Overall Dimension Package size/volume	70KG Combination Lock W740*H1200*D270mm W880*H1340*D410mm
Usage	Iphone series, android phone and other micro USB phone
Material	Cold Rolled Steel Plate
Color	White/Red/Customized
Structure Steel Plate Thickness Type Input Output Certificate	Overall Welding 0.5-0.8mm Solar Powered DC 12-24V (adjustable) DC5V, 0.5-2.1A CE,ROHS
MOQ	10 pieces



### **6-Door Phone Charging Station with Pin Pad Lock**

Lock type Overall Dimension Cell Dimension	Pin pad lock H570*W420*D180mm H180*W180*D140mm
Usage	Iphone series, android phone and other micro USB phone
Brand Name Material Color Structure Steel Plate Thickness Type Input Output Guarantee Period Certificate Packing Delivery Time	LINDEN ELECTRONICS Cold Rolled Steel Plate Black and white/Customized Overall Welding 0.5-0.8mm Electric AC 110V-220V (adjustable) DC 5V, 0.5-2.1A 6 Months CE,ROHS Carton+Wooden Case 25 days



### **6-Door Phone Charging Station**

Lock type Overall Dimension Cell Dimension	Password lock/key lock H440*W420*D150mm W210*H115*D100mm
Usage	Iphone series, android phone and other micro USB phone
Package size/volume Brand Name Material	H550*W530*D290mm SOPOWER Cold Rolled Steel Plate
Color	White/Black/Customized
Structure Steel Plate Thickness Type Input Output Guarantee Period Certificate Packing Delivery Time	Overall Welding 0.5-0.8mm Electric AC 110V-220V (adjustable) DC 5V, 0.5-2.1A 6 Months CE,ROHS Carton+Wooden Case 25 days





### **12-Door Phone Charging Station**

Lock type Overall Dimension Cell Dimension	Password lock/key lock H550*W620*D150mm W210*H110*D110mm
Usage	Iphone series, android phone and other micro USB phone
Package size/volume Brand Name Material	H680*W750*D280mm/0.15 cbm SOPOWER Cold Rolled Steel Plate
Color	White/Black/Customized
Structure Steel Plate Thickness Type Input Output Guarantee Period Certificate Packing Delivery Time	Overall Welding 0.5-0.8mm Electric AC 110V-220V (adjustable) DC 5V, 0.5-2.1A 12 Months CE,ROHS Carton+Wooden Case 25 days



# 12 Door Phone Charge Locker with Key Lock

Lock type Overall Dimension Cell Dimension	Key lock H520*D150*W650mm W230*H115*D100mm
Usage	Iphone series, android phone and other micro USB phone
Features Brand Name Material	Thru-shaft LINDEN ELECTRONICS Cold Rolled Steel Plate
Color	Orange and gray/Customized
Structure Steel Plate Thickness Type Input Output Guarantee Period Certificate Packing Delivery Time	Overall Welding 0.5-0.8mm Electric AC 110V-220V (adjustable) DC 5V, 0.5-2.1A 6 Months CE,ROHS Carton+Wooden Case 25 days



## LINDEN ELECTRONICS

# LINDEN ELECTRONICS CO., LIMITED

© +8613613899783

abc@sopower.com.cn
 abc@sopower.com.cn